

Article Information Sheet



11650 Lakeside Crossing Court

Maryland Heights, MO 63146 U.S.A

90001 Clear Acrylloy film (Various Dimensions)

Version Number: 1
Revision Date: 11/22/2019

Page 1 of 3
Print Date: 11/22/2019

ARTICLE INFORMATION SHEET

Spartech provides this Article Information sheet as a convenience to our customers. A Safety Data Sheet (SDS) has not been prepared for these products because they are **articles** as defined by hazard communication regulations such as the Occupational Safety and Health Administration's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)): "**Article**" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical or health risk to employees.

Article Identification

Product Family : 90001 Acrylic film
Product Names : DS70031391V3 - ACRYLLOY/.00300/65.000/90001/CLEAR
Product Form(s) : Roll
Primary Resin(s) : Acrylic
Intended Use : Acrylic capping film
Manufacturer : **SPARTECH LLC**
11650 Lakeside Crossing Court
Maryland Heights, MO 63146

Advisories

There are no known or identified hazards associated with normal use of this material as intended by the manufacturer.

These products may burn if exposed to flame or excess heat. Combustion involving these products can be expected to evolve normal decomposition products such as carbon monoxide and carbon dioxide, but other

Article Information Sheet



11650 Lakeside Crossing Court

Maryland Heights, MO 63146 U.S.A

90001 Clear Acrylloy film (Various Dimensions)

Version Number: 1
Revision Date: 11/22/2019

Page 2 of 3
Print Date: 11/22/2019

decomposition products may also be produced. Care should be taken to avoid conditions that might cause overheating or combustion of this material.

We have considered hazards of this material “as provided” to the customer. We cannot speculate or identify all potential hazards of downstream processing or mishandling of this article (for example mechanical irritation from particles resulting from cutting or other processing, or fumes from overheating, or combustible dust generation). The user must consider its own processing of the article in its own hazard determinations. If you have any questions on the safe handling or processing of this product, please contact us.

First aid measures

Description of first aid measures

Inhalation:

Move to fresh air. Treat symptomatically. Get medical attention if symptoms persist.

Eye contact:

Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention if symptoms persist. If molten material contacts the eye, immediately flush with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin contact:

Wash with soap and water. Get medical attention if symptoms occur. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, and see a physician for removal of adhering material and treatment of burn. Get medical attention.

Ingestion:

Seek medical advice.

Most important symptoms and effects, both acute and delayed:

Burns should be treated as thermal burns. The material will come off as healing occurs; therefore, immediate removal from the skin is not necessary.

Indication of any immediate medical attention and special treatment needed

Article Information Sheet



11650 Lakeside Crossing Court

Maryland Heights, MO 63146 U.S.A

90001 Clear Acrylloy film (Various Dimensions)

Version Number: 1
Revision Date: 11/22/2019

Page 3 of 3
Print Date: 11/22/2019

Hazards:

Contact with molten substance/product may cause severe burns to skin and eyes.

Treatment:

Treat symptomatically.

Disposal considerations

The generation of waste should be avoided or minimized wherever possible. Disposal of this product and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and any packaging or container must be disposed of in a safe way. Empty packaging, containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Transport information

This product is not regulated under U.S. DOT, IATA or IMDG for transport.